

1-18-00

A

UTILITY PATENT APPLICATION TRANSMITTAL

Attorney Docket No.

BRIGP001

(New Nonprovisional Applications Under 37 CFR § 1.53(b))

TO THE ASSISTANT COMMISSIONER FOR PATENTS:

Transmitted herewith is the patent application of () application identifier or (X) first named inventor, Chun Xia, entitled A SYSTEM AND METHOD FOR PROVIDING A MARKETING PRESENTATION, for a(n):

(X) Original Patent Application.

() Continuing Application (prior application not abandoned):

() Continuation () Divisional () Continuation-in-part (CIP)
of prior Application No. _____, filed _____.

() Please add after the title of the application "This is a

() Continuation () Divisional () Continuation-in-part (CIP)
of Application No. _____, filed _____, which is hereby incorporated by reference."

(X) Please add after the title of the application "This application claims the benefit of U.S. Provisional Application
Atty Docket No. BRIGP001+, filed January 12, 2000, which is hereby incorporated by reference."

Enclosed are

(X) Specification; 36 Total Pages.

(X) Drawing(s); 19 Total Sheets

() Oath or Declaration:

() A Newly Executed Combined Declaration and Power of Attorney:

() Signed. () Unsigned. () Partially Signed.

() A Copy from a Prior Application for Continuation/Divisional (37 CFR § 1.63(d)).

() Signed Statement Deleting Inventor(s) Named in the Prior Application (37 CFR § 1.63(d)(2)).

() Power of Attorney.

(X) Return Receipt Postcard.

() Associate Power of Attorney.

() A Check in the amount of \$ _____ for the Filing Fee.

() Preliminary Amendment.

() Information Disclosure Statement and Form PTO-1449.

() A Duplicate Copy of this Form for Processing Fee Against Deposit Account.

() A Certified Copy of Priority Documents (if foreign priority is claimed).

() Statement(s) of Status as a Small Entity.

() Statement(s) of Status as a Small Entity Filed in Prior Application, Status Still Proper and Desired.

() Other. _____

PLEASE DO NOT CHARGE THE FILING FEE AT THIS TIME.

Respectfully submitted,

By: _____

Susan C. Yi, Reg. No. 39,883

Date: January 13, 2000

Correspondence Address:

Customer No. 21912

Ritter, Van Pelt & Yi LLP

4906 El Camino Real, Suite 205

Los Altos, CA 94022

Phone: 650-903-3500

Fax: 650-903-3501

I hereby certify that this is being deposited with the U.S. Postal Service "Express Mail Post Office to Addressee" service under 37 CFR § 1.10 on the date indicated below and is addressed to.

Assistant Commissioner for Patents

Box Patent Application

Washington, D.C. 20231

By: _____

Typed Name: Jodie Price

Express Mail Label No.: EL422310654US

Date of Deposit: January 13, 2000

jc525 U.S. PTO
01/13/00

jc542 U.S. PTO
09/483175

01/13/00

09483175 01/13/00

A SYSTEM AND METHOD FOR PROVIDING A MARKETING PRESENTATION

Chun R. Xia
3003 Country Club Ct.
Palo Alto, CA 94304
A Citizen of P.R.China

Bo Li
898 Windmill Park Lane
Mountain View, CA 94043
A Citizen of P.R.China

Yang Li
46728 Crawford St. #12
Fremont, CA 94539
A Citizen of P.R.China

Status: Large Entity

RITTER, VAN PELT AND YI, LLP
4906 El Camino Real Suite 205
Los Altos, CA 94022
Telephone (415) 903-3500

**A SYSTEM AND METHOD FOR PROVIDING A MARKETING
PRESENTATION**

FIELD OF THE INVENTION

The present invention relates to electronic commerce. In particular, the present invention relates to presenting information related to marketing for use with a computer system.

RELATED APPLICATIONS

This application claims priority to US Provisional Application Serial No. _____, [BRIGP001+] entitled A SYSTEM AND METHOD FOR PROVIDING A MARKETING PRESENTATION, filed January 12, 2000, which is herein incorporated by reference in its entirety for all purposes.

This application is related to US Application Serial No. _____, [BRIGP002] entitled A SYSTEM AND METHOD FOR PROVIDING A DISTRIBUTED MARKETING PRESENTATION, filed January 13, 2000.

BACKGROUND OF THE INVENTION

Although a commercial presence over the Internet is becoming standard, it is still very expensive and requires software experts to create and maintain a commercial website. A typical scenario may require a marketing group to create and maintain a

marketing presentation but the marketing people are typically unable to directly incorporate their presentation. It is typical for the marketing personnel to notify technical personnel who can then create a new website or update a current website according to the directions given by the marketing personnel. In doing so, the technical personnel typically hard codes the instructions. Accordingly, the marketing personnel is a step away from the final creative product. Due to the high cost and complexity of requiring a technical personnel to hard code each change to an existing web page or to hard code a new web page, the marketing personnel may be discouraged from making regular changes to the web page. This reluctance to make regular changes to the offering may place the electronic commerce merchant at a disadvantage to a traditional competitor since, in a traditional store, daily specials, weekly specials, and seasonal campaigns such as Christmas gift advertising are commonly used.

It would be desirable to allow non-technical personnel, such as a marketing person, to create and update a web page, such as a marketing web page. The present invention addresses such a need.

SUMMARY OF THE INVENTION

According to an embodiment of the present invention, a web page can be dynamically created by a non-technical person. A technical person can set up a web page and incorporate marketing object containers. A non-technical person, such as a marketing person, then decides what marketing objects to put into the various marketing object containers. Style templates, marketing campaigns, and various items associated with the campaigns may be used to create or change the web page. According to an embodiment of the present invention, these marketing object containers may be dynamically associated with different marketing objects at different times.

A method according to an embodiment of the present invention for providing an electronic marketing presentation is presented. The method comprises displaying a marketing object container; associating an attribute with the marketing object container; and selecting at least one marketing object for being associated with the marketing object container.

A method according to an embodiment of the present invention for creating a marketing presentation in a display medium is also presented. The method comprises defining the location and size of a marketing object container in the display medium; associating a marketing attribute with the marketing container, the marketing attribute including parameters that define how the marketing object container can be used in a marketing presentation; binding at least one marketing object to the marketing object

container; and displaying the marketing object in the marketing object container in accordance with the parameters of the marketing attribute.

Another method according to an embodiment of the present invention for creating a marketing presentation in an interactive medium is presented. The method comprises displaying a marketing object container on a display medium; in response to a selection of the marketing object container, displaying a number of campaigns that are available to associate with the marketing object container; selecting a campaign to apply to the marketing object container; displaying a plurality of offers that are compatible with the selected campaign; and selecting at least one offer for placing in the marketing object container.

A system according to an embodiment of the present invention for providing an electronic marketing presentation is also presented. The system comprises a processor configured to display a marketing object container. The processor is also configured to facilitate associating an attribute with the marketing object container; and selecting at least one marketing object for being associated with the marketing object container. A memory is coupled with the processor, the memory being configured to provide the processor with instructions.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will be readily understood by the following detailed description in conjunction with the accompanying drawings, wherein like reference numerals designate like structural elements, and in which:

Figure 1 is a block diagram of a general purpose computer system 100 suitable for carrying out the processing in accordance with one embodiment of the present invention.

Figure 2 is a system architecture diagram of an embodiment of the present invention.

Figure 3 is a flow diagram of a method according to an embodiment of the present invention for providing a marketing presentation for use with a computer system.

Figures 4a-4b are flow diagrams describing an example of a process occurring in connection with a template processing engine.

Figure 5 is an example of a web page as shown to someone authorized to change the web page according to an embodiment of the present invention.

Figures 6a-6b are flow diagrams further describing events between steps 410 – 412 of Figure 4A according to an embodiment of the present invention.

Figure 7a shows an example of a feature binding table according to an embodiment of the present invention.

Figure 7b shows an example of a feature table which lists offers associated with a particular feature according to an embodiment of the present invention.

Figure 8 shows an example of relationships between items according to an embodiment of the present invention.

Figure 9 is another example of a feature table according to an embodiment of the present invention, specifically for cross sell.

Figure 10 shows an example of dynamic binding according to an embodiment of the present invention.

Figure 11 is a flow diagram of a method according to an embodiment of the present invention for describing interrelationships between marketing object containers.

Figure 12 is a flow diagram of a method according to an embodiment of the present invention for providing a marketing presentation using a management console.

Figure 13 is a flow diagram of a method according to an embodiment of the present invention for providing a marketing presentation using a staging server.

Figure 14 is a system architectural diagram according to another embodiment of the present invention for providing a marketing presentation.

DETAILED DESCRIPTION

The following description is presented to enable one of ordinary skill in the art to make and to use the invention and is provided in the context of a patent application and its requirements. Various modifications to the preferred embodiments will be readily apparent to those skilled in the art and the generic principles herein may be applied to other embodiments. Thus, the present invention is not intended to be limited to the embodiment shown but is to be accorded the widest scope consistent with the principles and features described herein.

Although the present invention can be applied to any content for any type of website, the following description uses an example of a marketing website with marketing content for illustrative purposes only.

Figure 1 is a block diagram of a general purpose computer system 100 suitable for carrying out the processing in accordance with one embodiment of the present invention. Figure 1 illustrates one embodiment of a general purpose computer system. Other computer system architectures and configurations can be used for carrying out the processing of the present invention. Computer system 100, made up of various subsystems described below, includes at least one microprocessor subsystem (also referred to as a central processing unit, or CPU) 102. That is, CPU 102 can be implemented by a single-chip processor or by multiple processors. CPU 102 is a general purpose digital processor which controls the operation of the computer system 100.

Using instructions retrieved from memory 110, the CPU 102 controls the reception and manipulation of input data, and the output and display of data on output devices.

CPU 102 is coupled bi-directionally with memory 110 which can include a first primary storage, typically a random access memory (RAM), and a second primary storage area, typically a read-only memory (ROM). As is well known in the art, primary storage can be used as a general storage area and as scratch-pad memory, and can also be used to store input data and processed data. It can also store programming instructions and data, in the form of data objects and text objects, in addition to other data and instructions for processes operating on CPU 102. Also as well known in the art, primary storage typically includes basic operating instructions, program code, data and objects used by the CPU 102 to perform its functions. Primary storage devices 110 may include any suitable computer-readable storage media, described below, depending on whether, for example, data access needs to be bi-directional or uni-directional. CPU 102 can also directly and very rapidly retrieve and store frequently needed data in a cache memory (not shown).

A removable mass storage device 112 provides additional data storage capacity for the computer system 100, and is coupled either bi-directionally or uni-directionally to CPU 102. For example, a specific removable mass storage device commonly known as a CD-ROM typically passes data uni-directionally to the CPU 102, whereas a floppy disk can pass data bi-directionally to the CPU 102. Storage 112 may also include computer-readable media such as magnetic tape, flash memory, signals embodied on a carrier wave, PC-CARDS, portable mass storage devices, holographic storage devices, and other

storage devices. A fixed mass storage 120 can also provide additional data storage capacity. The most common example of mass storage 120 is a hard disk drive. Mass storage 112, 120 generally store additional programming instructions, data, and the like that typically are not in active use by the CPU 102. It will be appreciated that the information retained within mass storage 112, 120 may be incorporated, if needed, in standard fashion as part of primary storage 110 (e.g. RAM) as virtual memory.

In addition to providing CPU 102 access to storage subsystems, bus 114 can be used to provide access other subsystems and devices as well. In the described embodiment, these can include a display monitor 118, a network interface 116, a keyboard 104, and a pointing device 106, as well as an auxiliary input/output device interface, a sound card, speakers, and other subsystems as needed. The pointing device 106 may be a mouse, stylus, track ball, or tablet, and is useful for interacting with a graphical user interface.

The network interface 116 allows CPU 102 to be coupled to another computer, computer network, or telecommunications network using a network connection as shown. Through the network interface 116, it is contemplated that the CPU 102 might receive information, *e.g.*, data objects or program instructions, from another network, or might output information to another network in the course of performing the above-described method steps. Information, often represented as a sequence of instructions to be executed on a CPU, may be received from and outputted to another network, for example, in the form of a computer data signal embodied in a carrier wave. An interface card or similar device and appropriate software implemented by CPU 102 can be used to connect the

computer system 100 to an external network and transfer data according to standard protocols. That is, method embodiments of the present invention may execute solely upon CPU 102, or may be performed across a network such as the Internet, intranet networks, or local area networks, in conjunction with a remote CPU that shares a portion of the processing. Additional mass storage devices (not shown) may also be connected to CPU 102 through network interface 116.

An auxiliary I/O device interface (not shown) can be used in conjunction with computer system 100. The auxiliary I/O device interface can include general and customized interfaces that allow the CPU 102 to send and, more typically, receive data from other devices such as microphones, touch-sensitive displays, transducer card readers, tape readers, voice or handwriting recognizers, biometrics readers, cameras, portable mass storage devices, and other computers.

In addition, embodiments of the present invention further relate to computer storage products with a computer readable medium that contain program code for performing various computer-implemented operations. The computer-readable medium is any data storage device that can store data which can thereafter be read by a computer system. The media and program code may be those specially designed and constructed for the purposes of the present invention, or they may be of the kind well known to those of ordinary skill in the computer software arts. Examples of computer-readable media include, but are not limited to, all the media mentioned above: magnetic media such as hard disks, floppy disks, and magnetic tape; optical media such as CD-ROM disks; magneto-optical media such as floptical disks; and specially configured hardware devices

such as application-specific integrated circuits (ASICs), programmable logic devices (PLDs), and ROM and RAM devices. The computer-readable medium can also be distributed as a data signal embodied in a carrier wave over a network of coupled computer systems so that the computer-readable code is stored and executed in a distributed fashion. Examples of program code include both machine code, as produced, for example, by a compiler, or files containing higher level code that may be executed using an interpreter.

The computer system shown in Fig. 1 is but an example of a computer system suitable for use with the invention. Other computer systems suitable for use with the invention may include additional or fewer subsystems. In addition, bus 114 is illustrative of any interconnection scheme serving to link the subsystems. Other computer architectures having different configurations of subsystems may also be utilized.

Figure 2 is a system architecture of an embodiment of the present invention. This architecture is shown to include a web server 204, an adapter 206, a template processing engine 208, a staging server 210, a management console 214, a production server 212, plug-in components 220, a data bridge 216, and an external database 218.

In this embodiment, a shopper 200 or a merchant 202 can access a website via the web server 204. Commands given by the shopper 200 or merchant 202 through the web server 204 may be translated by the adapter 206 and fed into the template processing engine 208. The template processing engine 208 can interact with the production server 212 to provide requested information. Examples of requested information include objects

to be displayed in the web page, a template for the web page, and a style for a particular campaign associated with the object being shown.

The template processing engine 208 can process popular standard scripting languages such as Java Script, Microsoft Visual Basic Script, Microsoft Active Server Page (ASP), PERL, Sun's Java Server Page (JSP). Accordingly, a marketing object container can be inserted into a web page by using a standard scripting language.

The production server 212 communicates with the template processing engine 208 and can handle processes for marketing campaigns, advertising scheduling, priorities, profile matching for personalization, and features. The production server 212 can be extended with Java plug-in components 220 which allows customization of the production server 212 to fit various merchants' needs.

The production server 212 may also interact with the data bridge 216, which in turn may interact with an external database 218, such as that provided by Oracle. Examples of the external database 218 include Oracle, Sybase, Microsoft SQL server, and IBM DB2. The data bridge establishes the data connectivity to merchant's external data sources such as product catalog data in an enterprise resource planning (ERP) system. Using a data bridge 216 allows flexibility to the merchant 202 to choose the type of database to use with the rest of the architecture. Additionally, the data bridge 216 can be used to connect to other applications such as legacy applications for the merchant 202, or be used as an extensible markup language (XML) interface.

The production server 212 may interact with plug-in components 220 such as Java plug in components. These Java plug in components 220 may be components provided by a user of the production server, such as the merchant. For example, the Java plug-in components 220 may be a data mining tool such as that produced by NetPerceptions.

The merchant 202 may access the management console 214 through the web server 204. The management console 214 is an interface for the merchant 202 which can look like a website to access the production server. The management console 214 allows the merchant 202 to interact with the production server 212 and the staging server 210 to create or modify offerings made to the shopper 200. Examples of the web server 204 include Microsoft Internet Information Server, Netscape Enterprise Server, and Apache.

The adapter 206 integrates the web server 204 to the rest of the architecture. When a command for the marketing object container is received through the web server 204, the adapter 206 is invoked and it translates the command and invokes the template processing engine 208. The advantage of using an adapter 206 is that it allows the system to be independent of different web servers 204 and different standard scripting languages. Additionally, the adapter can also be adapted to process additional functions such as session management. For example, the adapter 206 can be used to create a cookie to associate with a user for a session information.

The staging server 210 may be used to test out a marketing offering or a marketing campaign prior to making it available to the public through the production server 212.

Further details of the functions of the various components of the architecture shown in Figure 2 are later discussed in conjunction with the remaining figures.

Figure 3 is a flow diagram of a method according to an embodiment of the present invention for providing a marketing presentation for use with a computer system. A marketing object container and icon are displayed (step 300). A marketing object container, as referred to herein, includes a marketing location for receiving marketing objects to present to a user of an interactive medium, such as a networked device. These marketing object containers can be used by an authorized user, including a non-technical user such as marketing personnel, as reusable locations for objects to be presented, such as objects that are part of a marketing presentation. Examples of an interactive display medium include the Internet web browser, interactive television, public kiosks, cellular phone, PDA, and multimedia devices. A marketing object container may include program codes, such as HTML code, that identifies a location and size of the marketing object container on a display area, for example, a web page. The marketing object containers can be defined by any descriptors in any coding tool for use in any display medium.

Marketing attributes are then presented (step 302). Marketing object containers can be associated with marketing attributes that describe, for example, what marketing objects can be received by the marketing object container, the relationship of a particular marketing object container to other marketing object containers, or the timing and priority of the display of marketing objects. A marketing object is any offering that can

be presented in a marketing object container. Examples of marketing objects include products offered for sale or rent, offered services, and property for sale or rent.

Examples of a marketing attribute include marketing campaigns and features in merchandising marketing, scheduling of objects to be displayed, behavior-driven targeting of marketing material to a user, and profile-driven targeting of the marketing material to a user. Examples of marketing campaigns and features which may be included as marketing attributes include the following:

Ad Banner
Catalog Promotion
Category Dependent Content
Category List
Category Path
Category Promotion
Co-Marketed Item
Co-Marketing
Content Detail
Cross Sell
Daily Promotion
Event Promotion
General Promotion
Gift Center
Holiday Promotion

A marketing attribute may be selected to be associated with the particular marketing object container (step 304).

Marketing objects that are compatible with the selected marketing attribute are then presented (step 306). An example of a marketing object that is compatible with a selected marketing attribute may be a camera that is within a selected marketing campaign of Christmas gifts to be displayed in the month of December.

One or more of the presented marketing objects are then selected for insertion into the marketing object container shown on the web page (step 308). In this manner, a web page is dynamically changed by changing the marketing objects of a marketing object container within the web page without changing the rest of the web page.

Figures 4a-4b are flow diagrams describing an example of a process occurring in connection with the template processing engine 208 of Figure 2. Initially, a web page is set up incorporating marketing object containers (step 400). A site visitor accesses the web server (step 404). The web page, including the marketing object containers, are then presented (step 406). A container identification (ID) associated with the selected marketing object container is automatically input into the server, such as production server 212 of Figure 2 (step 410). The server then returns display object data for the selected marketing object container and invokes a style template (step 412). The template processing engine, such as the template processing engine 208 of Figure 2, then fills in the marketing object data into the template in a readable format, such as hyper-text markup language (HTML) (step 416).

It is determined whether the site visitor is a site manager (step 418). The site manager may be anyone who is authorized to change or create the web page. If the site visitor is not a site manager, then the website is displayed in the form that it would be displayed to a shopper (step 420). If, however, the site visitor is a site manager (step 418), then the website that is normally displayed to a shopper is displayed with the addition of marketing object container icons (step 422). In addition to the marketing object container icons, a workspace associated with the selected icons may also be presented. Alternatively, a workspace may be hyperlinked to a selected icon. An example of such a website is shown in Figure 5.

Figure 5 is an example of a web page as shown to someone authorized to change the web page according to an embodiment of the present invention. The website 500 is shown to include a web page 502 and a management workspace 504. The web page includes marketing object containers 508a-508b and marketing object container icons 506a-506b. When a marketing object container icon is selected, the workspace 504 may show information related to the marketing object container associated with the selected icon.

Once the website with the marketing object container icons are displayed (step 422 of Figure 4b), marketing objects, such as items offered for sale, may be associated with the selected campaign (step 424). In the example shown in Figure 5, the item 516 that is selected is a Canon camera. The campaign 516 that is selected is a weekly promotion. The item 516 may be added 518a, deleted 518b, or edited 518c.

A marketing attribute may be associated with a selected marketing object container (step 426). In the example shown in Figure 5, the marketing object container 508b may be selected by selecting the container icon 506b associated with the container 508b. When a marketing object container is selected, the management workspace 504 displays attributes associated with the selected marketing object container 508b. In this example, the attributes include the container ID 510, the container style 512, the campaign type 514 associated with the container 508b, and an offer or multiple offers 516 associated with the container 508b. A user can select a predetermined attribute by viewing options by selecting a type of attribute. For example, the user may select the attribute "style" 512 and see predetermined options such as weekly special, daily special, holiday special, etc.

A style may also be selected for the marketing object container (step 428). Although a style is a marketing attribute, a style is preferably selected for the marketing object container in addition to other attributes. Accordingly, in the example shown in Figure 5, a Canon camera may be shown in a style defined by "weekly specials" in a campaign entitled "weekly promotion". For example, the marketing object container 508b may display a Canon camera 516 in a presentation style which includes a blue background with text at the bottom below the Canon camera.

Figures 6a-6b are flow diagrams further describing events between steps 410 – 412 of Figure 4A which can occur in the production server, such as production server 212 of Figure 2.

A marketing object container ID is input into the server (step 600). Step 600 is equivalent to step 410 of Figure 4a. A feature binding associated with the selected marketing object container is then determined (step 602). An example of a feature binding table is shown in Figure 7a. The feature binding table of Figure 7a shows a marketing object container ID such as ID "102", and a feature associated with that marketing object container ID, such as cross sell.

It is then determined which offers are associated with the selected features (step 604). Figure 7b shows an example of a feature table which lists offers associated with a particular feature. In this example, the selected feature is a cross sell. Assume that the current item being displayed is a Canon camera. The offers 700 associated with the selected feature, "cross sell", for the current item "canon camera" are "camera pouch" and "slide pager". The relationship between the "current item" and the featured item is illustrated in Figure 8.

Figure 8 shows an example of relationships between items according to an embodiment of the present invention. In this example, the item "camera" 900 has or includes a Canon camera 902 as well as a Nikon camera 904. The "current item" of the example shown in Figure 7b is the Canon camera 902. The remaining items, the Nikon camera 904, the camera bag 908, and "how to select zoom lens" 906 are all defined in terms of the "current item", in this case the Canon camera 902. In this example, the Nikon camera 904 is an up sell of the Canon camera 902, the camera bag 908 is a cross sell of the Canon camera 902, and the "how to select zoom lens" 906 is a product

literature of the Canon camera 902. Further details of the relationships between items are later discussed in conjunction with Figure 11.

Moving back to Figure 6, a style template ID associated with the selected feature is also determined (step 606). The style template ID identifies a style associated with the selected feature. For example, for the feature "cross sell", the style template may be the same style as the current item, the Canon camera, such that the background of the cross sell item is blue with text located below the offered item.

An offer is then selected (step 608). Although in the example shown in Figure 7b an offer is shown to be an item for sale, an offer can generally be a product or a service offered for sale or lease or license.

It is then determined whether there is a time schedule associated with the selected offer (step 610). If there is a time schedule associated with the selected offer (step 610) then it is determined whether the offer's schedule is within the current time frame (step 612). Examples of the schedules associated with an offer are shown in Figure 9.

Figure 9 is another example of a feature table, specifically for cross sell. In this example, the feature is "cross sell" and the "current item" identifies the offer to which the cross sell item is related. For example, the item "leather photo/audio pouch" is a cross sell item to "Canon EOS Rebel G with Tamron 28-80 MM zoom lens". A starting time associated with a cross sell item "leather phone/audio pouch" is June 10, 1999 at 10 p.m. and ending time is July 10, 2001 at 10 p.m. During the time between the starting time and the ending time, the leather photo/audio pouch will be used as a cross sell item to the

Canon camera. This cross sell item is associated with a marketing object container ID "410" and "10011203" in this example.

If there is no time schedule associated with the selected offer (step 610), or the offer's schedule is within the current time frame (step 612), then it is determined whether other condition rules are matched (step 614). Examples of other condition rules include whether the user's behavior matches the selected offer for offers associated with a predetermined behavior pattern and whether the user profile matches the offer's targeting group. If these other condition rules do not match with the selected offer (step 614) or if the offer's schedule is not within the current time frame (step 612), then it is determined whether this offer is the last offer in a pool of offers (step 618).

If the selected offer matches the other conditions (step 614), then the offer is added to a candidate pool of offers (step 616). It is then determined whether this offer was the last offer of the possible offers (step 618). If this offer is not the last offer, then the next offer is selected for evaluation (step 620). Thereafter, it is determined whether there is a time schedule associated with this selected offer (step 610 of Figure 6a).

If this offer was the last offer (step 618), then it is determined whether a capacity associated with the marketing object container is greater or equal to the number of offers in the candidate pool (step 622). If the marketing object container capacity is greater or equal to the number of offers in the candidate pool, then all candidates in the pool are displayed (step 624). If, however, the marketing object container capacity is less than the number of candidates in the candidate pool (step 622) then it is determined which offer or

offers in the candidate pool to display (step 626). Examples of methods which may be used to determine which offers to display include rotation, (round robin), priority (wherein some offers are at a higher priority than others), impression based, or random. An example of an impression-based method is pulling up a first offer and displaying it 10,000 times, then after the 10,000th display, pull up the second offer and show it 5,000 times, etc. The objects associated with selected offers are then displayed in the marketing object container (step 628).

In this manner, dynamic binding occurs in a web page such that the marketing objects of the marketing object containers are dynamically changed so that the content shown through the marketing object containers can be changed without affecting the rest of the web page.

Figure 10 shows an example of dynamic binding according to an embodiment of the present invention. Figure 10 shows an example of "hard coded" software codes describing a marketing object container, referred to under a brand name called "VShelf". The codes indicate a variable, such as a number, which identifies the particular marketing object container. For example, "VShelf'101' " might indicate the marketing object container 508b of Figure 5. The number "101" can be the marketing object container ID, for example. This marketing object container ID may be associated in a feature binding table such as the feature binding table shown in Figure 7a, with a feature such as cross sell. The identified feature associated with the particular marketing object container may have an item, such as item 700 of Figure 7b, associated with that particular marketing object container.

The hard coding identifying each of the marketing object containers does not need to be changed when a change in the marketing objects of the marketing object container is desired. When the binding of marketing objects to the variable "101" is changed, the effective result of "Vshelf'101' " is changed. For example, if item 700 of Figure 7b is changed from "camera bag" to "camera lens", then the marketing object container 508b of Figure 5 changes from showing an image of a camera bag for sale to a camera lens for sale despite still having the same hardcoded instruction.

Figure 11 is a flow diagram of a method according to an embodiment of the present invention for describing interrelationships between marketing object containers. A qualified user, such as a site manager, selects a first marketing object container (step 1100). For example, a marketing object container such as container 508b of Figure 5 may be selected. The user then selects "Current Item" on a feature list (step 1102). The current item is whatever item the user selects to offer as a main product in a marketing object container. The feature list is a list of all possible campaign features. The feature list can be presented to the user at the management console, such as management workspace 504 of Figure 5, as a pull-down list so that the user can click and make a selection.

The first marketing object container is then automatically designated as a master container for this particular web page (step 1104). The master container is the container to which other containers of the same page are referenced. For example, the other containers on the web page may be referenced in conjunction to the master container on

the same web page such that the other containers may be considered a cross sell item, an up sell item, or product literature associated with the item in the master container.

A second marketing object container is then selected (step 1106). The selected second marketing object container is then automatically designated as a slave (step 1108). The marketing object of the slave container is referenced in relation to the master container. For example, if container 508b of Figure 5 is the master container of the web page 502 and container 508a is the slave container of web page 502, then assuming that the master container 508b shows a current item of a Canon camera as shown in Figure 8, the marketing object of slave container 508a of Figure 5 is referenced in relation to the Canon camera shown in the master container 508b. For example, the slave container 508a may be defined as a cross sell item to the master container 508b so that the slave container 508a shows a camera bag which is considered a cross sell item in relation to the current item in the master container 508b, the Canon camera.

A feature binding is then determined for the second marketing container (step 1110). As previously discussed, an example of a feature binding table is shown in Figure 7a.

A feature table is then looked up and related items for the determined feature are then identified (step 1112). Accordingly, when a feature is associated with the selected marketing object container, then the feature table is then referenced, such as the feature table shown in Figure 7b, to determine an item 700 related for the determined feature, such as cross sell. Thereafter, the flow diagram in Figure 6a may be referenced to

determine whether a time schedule is associated with the selected offer (step 610). The remaining method as shown in Figures 6a and 6b may be followed.

Figure 12 is a flow diagram of a method according to an embodiment of the present invention for providing a marketing presentation using a management console. A marketing object container icon is selected (step 1200). It is then determined whether the selected marketing object container is empty (step 1202). If it is empty, then a campaign type or feature is selected (step 1204). For example, the campaign type 514 of Figure 5 is shown to be a weekly promotion. When a marketing object container icon, such as icons 506a and 506b of Figure 5, is selected, the management workspace 504 is presented to the user. The management workspace can offer selections such as the campaign type 514.

The user may also select a style and reselect a campaign type or feature if the user prefers to change a current style or feature, or if the marketing object container is empty (step 1206). The user may add, remove, or edit offers, (step 1208). In the example shown in Figure 5, the offers for the selected campaign includes a Canon camera 516. These offers can be removed or edited, or a new offer added, through various input methods, such as selecting an option through a pull-down menu or through the add/ del/ edit buttons shown in Figure 5.

A capacity and display mode of a marketing object container may also be selected by the user (step 1210). An example of container capacity includes the number of items that can be displayed at a given time in a selected marketing object container. For

example, three different items may be offered in a single marketing object container at any given time if the user selects three for the container capacity. Examples of display mode include simultaneous display of the selected items, or multiple items to be displayed one at a time based on a display schedule.

Figure 13 is a flow diagram of a method according to an embodiment of the present invention for providing a marketing presentation using a staging server. A web page is created/edited/deleted as previously discussed in conjunction with the previous figures (step 1300). The change to the web page is then submitted to a supervisor (step 1302). It is then determined whether the supervisor approves the change (step 1304). If the supervisor does not approve of the change to the web page, then the changes are not implemented (step 1306). If, however, the changes are approved, then the production server is updated for all the changes and the changes are implemented (step 1308). In the example shown in Figure 2, the user would make changes to a web page via the web server 204 and the management console 214. The changes would be forwarded to the staging server 210 so that the changes can be simulated without being implemented. If the changes are approved by a supervisor, then the changes may be updated from the staging server 210 to the production server 212 and implemented such that the shopper 200 can view the changes.

Figure 14 is a system architectural diagram of another embodiment of the present invention for providing a marketing presentation. The example in Figure 14 is similar to that shown in Figure 2 with the exception of the template processing engine 208' being accessed through the Internet 250 by one or more web servers 204a-204b and adapters

206a-206b. In this embodiment, multiple shoppers 200a-200b can access multiple web servers 204a-204b that are, for example, owned or controlled by parties independent of the party controlling the rest of the architecture 260.

In this manner, a marketing object container may be controlled by a party controlling the primary architecture 260 but displayed on a third party web server 204a-204b. Likewise, although shoppers 200a-200b access other companies' web servers 204a-204b, they can interact and view marketing material controlled by the owner of the primary architecture 260.

Figure 15 is a flow diagram of a method according to another embodiment of the present invention for providing a marketing presentation. The example of the method shown in Figure 15 may be used in conjunction with the architecture shown in Figure 14.

A marketing object container is rented out to a first party wherein the marketing object container is presented in a web page controlled by a second party (step 1400). The first party associates an attribute with the marketing object container (step 1402). The first party selects a marketing object or objects for insertion into the marketing object container (step 1404). The attribute and selected marketing object (s) are sent to be associated with the marketing object container and automatically presented on the web page (step 1406).

Figure 16 is a flow diagram of a method according to another embodiment of the present invention for providing a marketing presentation. The method shown in Figure 16 may also be used in conjunction with the architecture shown in Figure 14. A first

marketing object container associated with a first party is provided (step 1500). For example, assume that a first marketing object container is associated with a party who controls the primary architecture 260 of Figure 14. The first marketing object container is associated with a first website wherein the first website is associated with a second party (step 1502). Although the first marketing object container is associated with the first party, it may be displayed through web server 204a, for example, which may be controlled by a second party.

A second marketing object container is also associated with a second website wherein the second marketing object container is associated with the first party and the second website is associated with a third party (step 1504). In the example shown in Figure 14, the second marketing object container is associated with the party who controls the primary architecture 260 but it is associated with the second website, such as web server 204b, which is controlled by a third party.

A marketing attribute is associated with the first marketing object container and the marketing attribute is automatically associated with the second marketing object container (step 1506). When a marketing object or objects are selected for insertion in the first marketing object container, the selected marketing object (s) is automatically inserted into the second marketing object container (step 1508).

For example, if Wall Mart controls the primary architecture 260 of Figure 14, it can rent out a first marketing object container accessible through the web server 204a, controlled by Yahoo. Wall Mart can also lease a second marketing object container

which is accessible through web server 204b and controlled by Amazon. When Wall Mart associates a marketing attribute, such as an item for sale presented in a particular style to be presented through the first marketing object container viewed through a Yahoo web page, then the second marketing object container viewed through an Amazon web page is also automatically changed to present the same item in the same style.

Figure 17 is a flow diagram according to another embodiment of the present invention for providing a marketing presentation. The method shown in Figure 17 may also be used in conjunction with the architecture shown in Figure 14.

A first marketing object container is rented out to a first party, wherein the first marketing object container is presented in a first web page controlled by a second party (step 1600). A second marketing object container is also rented out to the first party, wherein the second marketing object containers is presented in a second web page controlled by a third party (step 1602). The first party associates an attribute with the first marketing object container and the same attribute is automatically associated with the second marketing container (step 1604). The first party selects a marketing object (s) for insertion into the first marketing object container (step 1606). The selected marketing object (s) is automatically inserted into the second marketing object container (step 1608).

Accordingly, the marketing presentation can be managed by a service provider. In this example, at least some of the users can be unrelated, and the unrelated users are only allowed access to their own marketing presentations. The service provider can

generate profits in various ways. For example, the service provider can receive a commission based on revenue generated by a user's marketing presentation.

Alternatively, the service provider can receive a commission based on revenue generated by a user's marketing presentation. The service provider can also receive fees from users for hosting their marketing presentations.

A method and system for providing a marketing presentation has been disclosed. Software written according to the present invention may be stored in some form of computer-readable medium, such as memory or CD-ROM, or transmitted over a network, and executed by a processor.

Although the present invention has been described in accordance with the embodiment shown, one of ordinary skill in the art will readily recognize that there could be variations to the embodiment and these variations would be within the spirit and scope of the present invention. Accordingly, many modifications may be made by one of ordinary skill in the art without departing from the spirit and scope of the appended claims.

CLAIMS

1. A method of providing an electronic marketing presentation, comprising:
displaying a marketing object container;
associating an attribute with the marketing object container; and
selecting at least one marketing object for being associated with the marketing object container.
2. The method of claim 1, further comprising displaying a marketing object container icon, wherein an option associated with the marketing object container is presented when the icon is selected.
3. The method of claim 1, further comprising presenting a plurality of attributes to associate with the marketing object container.
4. The method of claim 1, further comprising presenting a plurality of marketing objects that are compatible with the selected attribute.
5. The method of claim 1, further comprising associating a style template with the marketing object container.
6. The method of claim 5, further comprising filling in an object into the style template.
7. The method of claim 1, further comprising associating an item with the attribute.
8. The method of claim 1, further comprising selecting a style for the marketing object container.
9. The method of claim 1, further comprising associating a feature with the marketing object container.
10. The method of claim 9, wherein the feature is a cross sell.
11. The method of claim 9, wherein the feature is an up sell.
12. The method of claim 9, wherein the feature is a product literature.
13. The method of claim 9, further comprising associating the at least one marketing object with the feature.
14. The method of claim 1, wherein the marketing object container is dynamically associated with the attribute.

15. The method of claim 1, wherein the marketing object container is dynamically associated with the marketing object.
16. The method of claim 1, wherein a plurality of marketing objects are selected to be associated with the marketing object container, and wherein the attribute determines which of the selected marketing objects is associated with the marketing object container at a particular time.
17. The method of claim 16 wherein the selected marketing objects are associated with the marketing object container according to a schedule.
18. The method of claim 16 wherein the selected marketing objects are inserted in the marketing object container based on a second marketing object of a second marketing object container.
19. The method of claim 1, wherein the at least one marketing object is displayed after it has been approved.
20. The method of claim 1 wherein the at least one marketing object is to be associated with the marketing object container based on a second marketing object of another marketing object container.
21. A method of creating a marketing presentation in a display medium, comprising:
 - defining the location and size of a marketing object container in the display medium;
 - associating a marketing attribute with the marketing container, the marketing attribute including parameters that define how the marketing object container can be used in a marketing presentation;
 - binding at least one marketing object to the marketing object container; and
 - displaying the marketing object in the marketing object container in accordance with the parameters of the marketing attribute.
22. A method of creating a marketing presentation in an interactive medium, comprising:
 - displaying a marketing object container on a display medium;
 - in response to a selection of the marketing object container, displaying a number of campaigns that are available to associate with the marketing object container;
 - selecting a campaign to apply to the marketing object container;
 - displaying a plurality of offers that are compatible with the selected campaign;and
 - selecting at least one offer for placing in the marketing object container.
23. A system of providing an electronic marketing presentation, comprising:

[illegible][illegible][illegible]




FIG 1




FIG 2

Technical department sets up a
web page and incorporates marketing
object containers 400

Site visitor accesses web server 404

Present web page including marketing
object containers 406

Input marketing object container ID to server 410

Server returns display object data
for marketing object container and
invokes a style template 412



FIG 4A





FIG 4B

506a


Web page

Vshelf 102



508a

Vshelf 101



506b

508b

502

Management workspace

504

Vshelf	101
Style	weekly special
Campaign type	Weekly Promotion

510

512

514

Offers this Campaign	Add
Canon Camera	Del
	Edit

518a

518b

518c

516

FIG 5





FIG 6A



Feature Table

Feature	Current item	Item
Cross Sell	Canon Camera	Camera pouch
Cross Sell	Canon Camera	slide pager
up sell	Canon Camera	Nikon Camera

700

FIG 7B

Feature binding

Marketing Object Container ID	Feature
102	Cross Sell

FIG 7A




FIG 8

Marketing

Container
Shelf

Temperature	25.0	°C
Pressure	1.0	atm
Flow rate	1.0	L/min
Concentration	0.1	mol/L
pH	7.0	
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s
Resolution	0.5	nm
Detector	Photodiode array	
Injection volume	10	μL
Column	C18	
Mobile phase	Water/Acetonitrile	
Gradient	0-100% ACN in 10 min	
Flow rate	1.0	mL/min
Temperature	30.0	°C
Wavelength	254	nm
Scan rate	10	nm/min
Integration time	1.0	s</




FIG 11




FIG 12




FIG 13




FIG 14

Rent out a marketing object container to a first party, wherein the marketing object container is presented in a webpage controlled by a second party

1400

The first party associates an attribute with the marketing object container

1402

First party selects a marketing object(s) for insertion into the marketing object container

1404

The attribute and selected marketing object(s) are sent to be associated w/ the marketing object container & automatically presented on the webpage

1406

FIG 15

Rent out a first marketing object container to a first party, wherein the first marketing object container is presented in a first webpage controlled by a second party

1600

Rent out a second marketing object container to the first party, wherein the second marketing object container is presented in a second webpage controlled by a third party

1602

The first party associates an attribute with the first marketing object container and the same attribute is automatically associated w/ the second marketing object container

1604

The first party selects a marketing object(s) for insertion into the first marketing object container

1606

Automatically insert the selected marketing object(s) into the second marketing object container

1608

FIG 17